

New Renault KOLEOS

Technical data*

	DIESEL				
Version (according to country)	1.6 130 MT 2WD	1.6 130 CVT 2WD	2.0 175 MT 4WD	2.0 175 CVT 2WD	2.0 175 CVT 4WD
ENGINE					
Engine type	Common rail				
Cubic capacity (CC)	1,598		1,995		
Bore x stroke (mm)	80 x 79.5		84 x 90		
Volumetric report	15.1	15.4	16		
Number of cylinders / valves	4 / 16				
Maximum power (kW/hp)	96		130		
Maximum torque (Nm)	320		380		
Revs at max power (rpm)	4,000		3,750		
Revs at max torque (rpm)	2,000				
Stop & Start	Yes				
Distribution	Chain				
GEARBOX					
Type	Manual 6	CVT	Manual 6	CVT	
PERFORMANCES					
Top speed (kph)	185	165	200	196	192
0-100 kph (s)	11.4	13.3	10.7	9.3	9.5
400 m standing start (s)	17.9	18.5	17.6	16.8	16.8
1 000 m standing start (s)	32.9	34.6	31.7	30.7	31
80-120 kph in 4 th gear (s)	8.6	11.3	7	7.5	7.9
FUEL CONSUMPTION AND EMISSIONS					
CO ² (g/km)	120	142	140	143	156
Urban cycle (l/100km)	5.1	5.7	6.0	5.8	6.1
Extra-urban cycle (l/100km)	4.2	5.3	4.9	5.2	5.7
Combined cycle (l/100km)	4.6	5.5	5.3	5.4	5.8
Fuel tank capacity (L)	60	60	60	60	60
STEERING					
Direction	Electrical power steering				
Turning circle, wall-to-wall (m)	12.1				
Turning circle, kerb-to-kerb (m)	11.4				
AXLES					
Front axle type / Rear axle type	Mac Pherson Strut Type / Multi Link Type				
WHEELS AND TYRES					

Standard fitment

17" ESQIS alloy wheel rims / Tyre 225/65R17 102H
18" TARANIS alloy wheel rims / Tyre 225/60R18 100H
18" ARGONAUTE alloy wheel rims / Tyre 225/60R18 100H
19" PROTEUS alloy wheel rims / Tyre 225/55R19 99V

BRAKING					
Front : vented discs - diameter (mm) / thickness (mm)	296 x 26		320 x 28		
Rear : solid discs - diameter (mm) / thickness (mm)	292 x 16				
WEIGHTS (kg)					
Kerb weight (without option)	1,540	1,599	1,660	1,643	1,696
Gross vehicle weight (5 passengers)	2,149	2,168	2,230	2,225	2,273
Gross train weight	4,149	3,668	4,230	3,875	3,923
Payload (with minimum equipment)	609	569	570	582	577

* All figures subject to homologation

