


The New Renault MEGANE

Dimensions and Technical data



New Mégane hatch

Dimensions (mm)



TRUNK VOLUME


Trunk volume (dm ³ / liters)	402 / 473
Maximum trunk volume with rear bench folded down (dm ³)	1 247

DIMENSIONS (mm)

Overhall length	4 359
Wheelbase	2 669
Front overhang	919
Rear overhang	771
Overall width with folded mirrors / unfolded mirrors	1 814 / 2 058
Front track ground, 17" wheels	1 591
Rear track ground, 17" wheels	1 586
Overall height	1 447
Open tailgate height	2 044
Trunk sill height	750
Ground clearance	145
Knee radius in 2nd row	179
Front elbow room	1 418
Rear elbow room	1 420
Front shoulder width	1 441
Rear shoulder width	1 390
Front headroom	886
Rear headroom	866
Trunk entry maximum width	1 080
Interior width between wheel arches	1 111
Maximum load length with rear bench folded	1582

New Mégane Estate

Dimensions (mm)



TRUNK VOLUME

Trunk volume (dm ³ / liters)	521 / 563
Maximum trunk volume with rear bench folded down (dm ³)	1 504

DIMENSIONS (mm)

Overhall length	4 626
Wheelbase	2 712
Front overhang	919
Rear overhang	995
Overall width with folded mirrors / unfolded mirrors	1 814 / 2 058
Front track ground, 17" wheels	1 597
Rear track ground, 17" wheels	1 598
Overall height	1 449
Open tailgate height	2 038
Trunk sill height	597
Ground clearance	143
Knee radius in 2nd row	216
Front elbow room	1 492
Rear elbow room	1 412
Front shoulder width	1 441
Rear shoulder width	1 377
Front headroom	886
Rear headroom	871
Trunk entry maximum width	1 036
Interior width between wheel arches	1 109
Maximum load length with rear bench folded	1 754

Version	ESSENCE				DIESEL	
	TCe 115 FAP	TCe 140 FAP	TCe 140 EDC FAP	TCe 160 EDC FAP	Blue dCi 115	Blue dCi 115 EDC
ENGINE						
Fuel type	Unleaded or E10 petrol				B7 Diesel	
Emissions standards	Euro6				Euro6	
Approval protocol	WLTP				WLTP	
After-treatment pollution clean-up system	3-way catalyst + GPF				SCR + GPF	
Engine type	4 cylinders, 16 valves				4 cylinders, 8 valves	
Engine capacity (cc)	1333				1461	
Bore x stroke (mm)	72,2 x 81,3				76 x 80,5	
Injection type	Direct + turbo				Common rail turbo direct injection	
Maximum power kW (PS) at rpm	85 (100) à 4500	103 (140) à 5000		117 (159) à 5500	85 (115) à 3750	85 (115) à 3750
Maximum torque (Nm) at rpm	220 à 1500	240 à 1600		270 à 1800	260 à 2000	260 à 2000
Stop & Start with Engine Smart Management	Yes				Yes	
Overhaul / Oil change interval	1 year / 30 000 km				1 year / 30 000 km	
Distribution	Chain				Belt	
GEAR BOX						
Type	Manual - 6 speeds	Manual - 6 speeds	EDC - 7 speeds		Manual - 6 speeds	EDC - 7 speeds
TYRES						
Standard tire size	16/17/18 inch				16/17/18 inch	
Inflation kit / spare wheel	Yes / Option (17 inch)				Yes / Option (17 inch)	
BRAKES						
Diameter / thickness of vented front discs (mm)	280 / 24		296 / 26		280 / 24	
Diameter / thickness of solid rear discs (mm)	260 / 6				260 / 6	
PERFORMANCE						
Top speed (kph) hatch/estate	190 / 192	205			190 / 193	192 / 193
0 - 100 km/h (s) hatch/estate	10,6 / 11	9,4 / 9,7	9 / 9,3	8,3 / 8,6	11,1 / 11,4	10,8 / 11,1
1 000 m standing start (s) hatch/estate	32,3 / 32,8	30,4 / 30,8	30,7 / 31,3	29,2 / 29,6	32,7 / 33,1	33,3 / 33,9
Reprise 80-120 km/h en 4 ^e /5 ^e (s) hatch/estate	9 / 11,5 // 9,3 / 11,9	7,7 / 10,2 // 8,1 / 10,6	8,2 / na // 8,5 / na	7 / na // 7,3 / na	8 / 10,6 // 8,1 / 10,3	8 / na // 8,3 / na
FUEL ECONOMY AND EMISSIONS WLTP						
CO ₂ (g/km) hatch/estate	133 / 133	134 / 139	137 / 137	139 / 139	117 / 117	120 / 120
Combined cycle (l/100km) hatch/estate	5,9 / 5,9	5,9 / 6,2	6,0 / 6,0	6,1 / 6,1	4,5 / 4,5	4,6 / 4,8
Tank capacity fuel / urea (L)	47 / na				45 / 16	
STEERING						
Type	Electric power steering				Electric power steering	
Turning circle, curb to curb (m) hatch/estate	11,2 / 11,3				11,2 / 11,3	
Steering wheel turns, lock to lock	2,9				2,9	
Front axle	Pseudo McPherson				Pseudo McPherson	
Rear axle	Semi-rigid axle				Semi-rigid axle	
WEIGHT						
Kerb weight (kg) hatch/estate	1231 / 1279	1229 / 1278	1255 / 1303	1285 / 1350	1316 / 1364	1342 / 1390
Gross vehicle weight (kg) hatch/estate	1799 / 1859	1797 / 1857	1823 / 1882	1826 / 1886	1883 / 1944	1910 / 1970
Gross train weight (kg) hatch/estate	3349 / 3559	3347 / 3570	3473 / 3582	3476 / 3586	3533 / 3644	3560 / 3670
Max. braked trailer weight (kg) hatch/estate	1650 / 1700				1650 / 1700	
Max. unbraked trailer weight (kg) hatch/estate	650 / 675		665 / 685		680 / 710	695 / 715